



# MATERIAL SAFETY DATA SHEET

Conforms to Regulation (EU) 2020/878

## CoaPT – Prothrombin Time Reagent

### SECTION 1: Identification of the Substance/ Mixture and of the Company/ Undertaking

#### 1.1 Product identifier

Product name:	CoaPT – Prothrombin Time - 8x5mL
Product Number (REF#):	210-24-010-00

#### 1.2. Relevant identified uses of the substances or mixtures and uses advised against

In-Vitro Diagnostic Reagent

Sectors of use:

Professional use [SU22]

Uses advised against

Do not use for purposes other than those listed.

#### 1.3. Details of the supplier of the Safety Data Sheet:

Contract:	LABiTec® Labor BioMedical Technologies GmbH
Address:	An der Strusbek 6
Place:	D-22926 Ahrensburg, Germany
Telephone:	+49(0) 4102/4795-0
Fax:	+49(0) 4102/4795-35
E-mail:	info@labitec.de

#### 1.4. Emergency contact

Telephone Number:	+49(0) 4102/4795-0
Opening hours (GMT +1):	Monday to Thursday 8:30am – 3:30pm
	Friday 8:30am – 1:00pm



# MATERIAL SAFETY DATA SHEET

Conforms to Regulation (EU) 2020/878

## CoaPT – Prothrombin Time Reagent

### SECTION 2: Hazards Identification

#### 2.1 Classification of the substance/ mixture:

##### 2.1.1 Classification according to Regulation (EC) No 1272/2008

Pictograms: None

Hazard Class and Category Code(s): Non-hazardous

Hazard statement Code(s): Non-hazardous

#### 2.2 Label elements:

Labelling according to Regulation (EC) No 1272/2008

Hazard pictogram:

None required since product non-hazardous

Signal word:

None required

Hazard statement(s):

None required

Precautionary statements:

None required

Supplement Hazard Information (EU):

Not applicable, product is not classifiable as hazardous. Intended to be used by professional users of IVD reagents.

#### 2.3 Other hazards:

The substance / mixture NOT contains substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII. No information on other hazards.



# MATERIAL SAFETY DATA SHEET

Conforms to Regulation (EU) 2020/878

## CoaPT – Prothrombin Time Reagent

### SECTION 3: Composition/ Information on Ingredients

#### 3.1 Substances

Not Applicable

#### 3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements.

Substance	Classification	Index	CAS	EINECS	REACH
Sodium azide substance for which there are Community workplace exposure limits	EUH032; Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330; STOT RE 2, H373; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1 ATE(mix) oral = 27,0 mg/kg ATE(mix) dermal = 20,0 mg/kg ATE(mix) inhal = 37,0mg/l/4 h	011-004-00-7	26628-22-8	247-852-1	NR
Sodium hydroxide 2N substance for which there are Community workplace exposure limits	Met. Corr. 1, H290; Skin Corr. 1A, H314; Skin Irrit. 2, H315; Eye Dam. 1, H318;	ND	ND	ND	NR
	Eye Irrit. 2, H319				

### SECTION 4: First Aid Measures

#### 4.1 Description of first aid measures:

**General advice:** Consult a physician. Show this SDS to the doctor in attendance.

**After Inhalation:** Air the area. Immediately move the contaminated patient from the area and keep at rest in a well-ventilated area. If you feel unwell seek medical advice.

**After Skin Contact:** Wash thoroughly with soap and running water.

**After Eye Contact:** Wash immediately and thoroughly with running water for at least 10 minutes. If irritation persists seek medical attention.

**After Ingestion:** Not hazardous. It's possible to give activated charcoal in water or liquid paraffin medicine.

**Self-protection for first aider:** Personal protective equipment for first aid responder is recommended.

#### 4.2 Most important symptoms and effects both acute and delayed

No data available.

#### 4.3 Indication of any immediate medical attention and special treatment

Not applicable.



# MATERIAL SAFETY DATA SHEET

Conforms to Regulation (EU) 2020/878

## CoaPT – Prothrombin Time Reagent

### **SECTION 5: Fire-fighting Measures**

#### **5.1 Extinguishing media:**

Advised extinguishing agents:

Water spray, CO<sub>2</sub>, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

#### **5.2 Special hazards arising from the substance or mixture:**

No data available

#### **5.3 Advice for firefighters**

Use protection for the breathing apparatus safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction.

You may also use self-respirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray.

### **SECTION 6: Accidental Release Measures**

#### **6.1 Personal precautions, protective equipment and emergency procedures**

##### **6.1.1 For non-emergency personnel**

Leave the area surrounding the spill or release. Do not smoke Wear gloves and protective clothing

##### **6.1.2 For emergency responders**

Wear gloves and protective clothing.

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Provision of sufficient ventilation. Evacuate the danger area and, in case, consult an expert.

#### **6.2 Environmental precautions:**

Contain spill with soil or sand.

If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the authorities. Discharge the remains in compliance with the regulations.

#### **6.3 Methods and material for containment and cleaning up:**

##### **6.3.1 For containment:**

Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.

Prevent it from entering the sewer system.

##### **6.3.2 For cleaning up:**

After wiping up, wash with water the area and materials involved.

##### **6.3.3 Other information:**

Nothing in particular.



# MATERIAL SAFETY DATA SHEET

Conforms to Regulation (EU) 2020/878

## CoaPT – Prothrombin Time Reagent

### 6.4 Reference to other sections

Refer to paragraphs 8 and 13 for more information

## SECTION 7: Handling and Storage

### 7.1 Precautions for safe handling

Avoid contact and inhalation of vapours. At work do not eat or drink.  
See also paragraph 8 below.

### 7.2 Conditions for safe storage including any incompatibilities:

Keep in original container closed tightly. Do not store in open or unlabeled containers. Keep containers upright and safe by avoiding the possibility of falls or collisions. Store in a cool place, away from sources of heat and direct exposure of sunlight.

### 7.3 Specific end use:

Public domain:

Handle with care. Store in a ventilated area and away from heat, keep the container tightly closed. Use in accordance with product Instructions for use provided in kit. For In Vitro Diagnostic use only.

## SECTION 8: Exposure Controls/ Personal Protection

### 8.1 Control Parameters

Sodium azide

TLV (ceiling): steam hydrazoic acid 0.11 ppm; sodium azide 0.29 mg/m<sup>3</sup> (ACGIH 1996). TWA 0.1 mg/m<sup>3</sup>. MAK 0.2 mg/m<sup>3</sup>

Sodium hydroxide 2N

OEL Maximum value 2 mg/m<sup>3</sup>

Derived No Effect Level (DNEL)

Worker DNEL, long-term: Local effects, inhalation, 1 mg/m<sup>3</sup>

User DNEL, long-term: Local effects, inhalation, 1 mg/m<sup>3</sup>

The methods for detecting the workplace atmosphere must comply with the requirements of the standards DIN EN 482 and DIN EN 689.

### 8.2 Exposure controls

#### 8.2.1 Appropriate engineering controls:

Public domain:

No specific monitoring foreseen

#### 8.2.2 Individual protection measures:

**8.2.2.1 Eye/ face Protection:** Not needed for normal use.

**8.2.2.2 Skin Protection:** Not needed for normal use.

**8.2.2.3 Hand Protection:** Not needed for normal use.

**8.2.2.4 Other:** Wear normal work clothing.



# MATERIAL SAFETY DATA SHEET

Conforms to Regulation (EU) 2020/878

## CoaPT – Prothrombin Time Reagent

**8.2.2.4 Respiratory Protection:** Not needed for normal use.

**8.2.2.5 Thermal Hazards:** No hazard to report.

### 8.2.3 Environmental Exposure Controls

Sodium hydroxide 2N

**8.2.3.1 Eye/ face Protection:** Tightly fitting safety goggles.

**8.2.3.2 Skin protection:** This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves.

Full contact:

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested:KCL 741 Dermatril® L

Splash contact:

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested:KCL 741 Dermatril® L

**8.2.3.3 Body protection:** Protective clothing.

**8.2.3.4 Respiratory protection:** Recommended Filter type: Filter type P2

**8.2.3.5 Control of environmental exposure:** Do not let product enter drains.



# MATERIAL SAFETY DATA SHEET

Conforms to Regulation (EU) 2020/878

## CoaPT – Prothrombin Time Reagent

### SECTION 9: Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Appearance	opaque / turbid suspension	
Colour	whitish	
Odour	characteristic odor	
Odour threshold	not determined	
pH	not determined	
Melting point/freezing point	not determined	
Initial boiling point and boiling range	not determined	
Flash point	not determined	ASTM D92
Evaporation rate	not determined	
Flammability (solid, gas)	not determined	
Upper/lower flammability or explosive limits	not determined	
Vapour pressure	not determined	
Vapour density	not determined	
Relative density	not determined	
Solubility(ies)	not determined	
Water solubility	not determined	
Partition coefficient: n-octanol/water	not determined	
Auto-ignition temperature	not determined	
Decomposition temperature	not determined	
Viscosity	not determined	
Explosive properties	not determined	
Oxidising properties	not determined	

#### 9.2 Other safety information

No data available

### SECTION 10: Stability and Reactivity

**10.1 Reactivity:** Sodium azide, contact with acids liberates very toxic gas.

**10.2 Chemical stability:** No hazardous reaction when handled and stored according to provisions.

**10.3 Possibility of hazardous reactions:** There are no hazardous reactions.

**10.4 Conditions to avoid:** Sodium azide

An explosion occurred when a mixture of sodium azide, methylene chloride, dimethyl sulfoxide, and sulfuric acid were being concentrated on a rotary evaporator. Strong heating (decomposition). Exposure to moisture.



# MATERIAL SAFETY DATA SHEET

Conforms to Regulation (EU) 2020/878

## CoaPT – Prothrombin Time Reagent

### 10.5 Incompatible materials:

It can generate inflammable gases to contact with elementary metals, nitrides, strong reducing agents. It can ignite in contact with oxidants mineral acids, elementary metals, nitrides, organic peroxides, organic water peroxides, oxidating and reducing agents.

### 10.6 Hazardous decomposition products:

Does not decompose when used for intended uses.

## SECTION 11: Toxicological Information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

ATE(mix) oral = 100.361,3 mg/kg

ATE(mix) dermal = ∞

ATE(mix) inhal = ∞

A	Acute toxicity:	based on available data, the classification criteria are not met
B	Skin corrosion/irritation:	based on available data, the classification criteria are not met
C	Serious eye damage/irritation:	based on available data, the classification criteria are not met
D	Respiratory or skin sensitisation:	based on available data, the classification criteria are not met
E	Germ cell mutagenicity:	based on available data, the classification criteria are not met
F	Carcinogenicity:	based on available data, the classification criteria are not met
G	Reproductive toxicity:	based on available data, the classification criteria are not met
H	Specific target organ toxicity (STOT) single exposure:	based on available data, the classification criteria are not met
I	Specific target organ toxicity (STOT) repeated exposure	based on available data, the classification criteria are not met
J	Aspiration hazard:	based on available data, the classification criteria are not met

Related to contained substances:

Sodium azide:

LD50 (rat) Oral (mg/kg body weight) = 27

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 20

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 37

Sodium azide:

Nausea, Headache, Vomiting. Laboratory experiments in animals have shown sodium azide to produce a profound hypotensive effect, demyelination of myelinated nerve fibers in the central nervous system, testicular damage, blindness, attacks of rigidity, and hepatic and cerebral effects. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Sodium hydroxide 2N

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Symptoms: mucosal irritations, Cough, Shortness of breath Possible damages: damage of respiratory tract

### 11.2 Information on other hazards:

No data available.





# MATERIAL SAFETY DATA SHEET

Conforms to Regulation (EU) 2020/878

## CoaPT – Prothrombin Time Reagent

### SECTION 12: Ecological Information

#### 12.1 Toxicity:

Related to contained substances:

Sodium azide:

C(E)L50 (mg/l) = 0.7

Use according to good working practices to avoid pollution into the environment.

#### 12.2 Persistence and degradability: Sodium azide:

The methods for determining the biological degradability are not applicable to inorganic substances

#### 12.3 Bio-accumulative potential:

No data available

#### 12.4 Mobility in soil:

No data available

#### 12.5 Results of PBT and vPvB assessment:

No PBT/vPvB ingredient is present

#### 12.6 Endocrine disrupting properties:

No data available.

#### 12.7 Other adverse effects:

No adverse effects

### SECTION 13: Disposal Considerations

#### 13.1 Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies. Recover if possible. Operate according to local or national regulations.

### SECTION 14: Transport Information

**14.1 UN number or ID number:** Not included in the scope of application regulations concerning the transport of dangerous goods: by road (ADR); by rail (RID); by air (ICAO / IATA); by sea (IMDG).

**14.2 UN Proper Shipping name:** None

**14.3 Transport Hazard Classes:** None

**14.4 Packaging Group:** None

**14.5 Environmental Hazards:** None

**14.6 Special precautions for user:** No data available



# MATERIAL SAFETY DATA SHEET

Conforms to Regulation (EU) 2020/878

## CoaPT – Prothrombin Time Reagent

### 14.7 Maritime transport in bulk according to IMO instruments:

It is not intended that this product is transported as bulk and therefore the shipping/ transport regulations for bulk hazardous material do not apply.

### SECTION 15: Regulatory Information

#### 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture:

No data available

#### 15.2 Chemical Safety Assessment:

No chemical safety assessment was carried out by the supplier.

### SECTION 16: Other Information

Description of the hazard statements exposed to point 3

Hazard Statement	Description
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H300	Fatal if swallowed
H310	Fatal in contact with skin.
H330	Fatal if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Classification based on data of all mixture components

#### GENERAL BIBLIOGRAPHY:

- Council Regulation (EC) 1907/2006 of the European Parliament (REACH)
- Regulation (EC) 1272/2008 of the European Parliament (CLP) and subsequent updates
- Council Regulation (EC) no 758/2013 of the European Parliament
- Regulation (EC) no 2020/878 of the European Parliament
- Regulation (EC) No 528/2012 European Parliament and subsequent updates
- Commission Regulation (EC) No 790/2009 of 10 August 2009
- Commission Regulation (EU) No 286/2011 of 10 March 2011
- Commission Regulation (EU) No 618/2012 of 10 July 2012
- Commission Regulation (EU) No 487/2013 of 8 May 2013
- Council Regulation (EU) No 517/2013 of 13 May 2013
- Commission Regulation (EU) No 758/2013 of 7 August 2013
- Commission Regulation (EU) No 944/2013 of 2 October 2013
- Commission Regulation (EU) No 605/2014 of 5 June 2014
- Commission Regulation (EU) 2015/491 of 23 March 2015



# MATERIAL SAFETY DATA SHEET

Conforms to Regulation (EU) 2020/878

## CoaPT – Prothrombin Time Reagent

- Commission Regulation (EU) No 1297/2014 of 5 December 2014- Council Regulation (EC) 648/2004 of the European Parliament and subsequent updates
- The Merck Index
- Handling Chemical Safety
- Niosh Registry of Toxic Effects of Chemical Substances
- INRS - Fiche Toxicologique
- Patty-Industrial Hygiene and Toxicology
- N.I. Sax-Dangerous properties of Industrial Materials-7 Ed., 1989

### Note to the user:

The information in this sheet are based on knowledge available to us on the date of the latest version. The user must ensure the fitness and completeness of the information in relation to the specific use of the product. You should not interpret it as a guarantee of any specific property of the product. For the use of the product does not fall under our direct control, the obligation of the user to observe under their own liability laws and regulations on hygiene and safety. Do not assume liability for improper use.

This sheet replaces and cancels all previous.